

Round smooth wall silo



For Agriculture and Industrie

Presentation and advantages:

- Optimal construction for the storage of bulk material
- No internal structure
- Fluid flow of material
- Modular construction : diameter and height depending on the storage
- Funnels equipped with standard angles 40° - or 35° on request
- Special outflow funnel heights on request

Round smooth wall silo



**Storage for materials with a maximum density of 750 kg/m^3
(grains, granules ...)**


Options:

- Access door
- Silo cover
- Ventilation funnel
- Pneumatic outlet

Construction set - easy transport and delivery

Drawing and standard dimensions:

Diameter (m)	Height (m)
1,9	1,25
	2,5
	3,75
	5
	6,25
	7,5
2,28	1,25
	2,5
	3,75
	5
	6,25
	7,5
2,5	1,25
	2,5
	3,75
	5
	6,25
	7,5
2,9	1,25
	2,5
	3,75
	5
	6,25
	7,5
3,5	1,25
	2,5
	3,75
	5
	6,25
	6,25



Other dimensions on request

Delivery time:

Approx 6-8 Weeks after order receipt



For any further information, please visit our website:

[Homepage - Schmelzer \(a-schmelzer.com\)](http://a-schmelzer.com)

Tel: +49 (0)9231/9792-0

zentrale@a-schmelzer.de