


Semi-circular ducts



**This ventilation can be organised
really quickly and at low cost !**

- Dumping height up to 20m, it depends on the type of the duct
- Perforated galvanised steel sheet
- Most used ventilation system

Available types of semi-circular ducts:




- **K30-K50** for cereals and rape – perforation 1,5- 2mm
- Articles in catalogue page 62
- **K30-K50** for wood chips – perforation 10mm
- Articles in catalogue page 63
- **K50-K160** for potatoes – Maximum dumping height : 3,5m
- Articles in catalogue page 64

Semi-circular ducts

Distance between 2 rows of semi-circular ducts


Dumping height	Gap
2,0m	2,0m
2,5m	2,25m
3,0m	2,50m
3,5m	2,75m
4,0m	3,0m
4,5m	3,25m
5,0m	3,50m
5,5m	3,75m
6,0m	4,00m
6,5m	4,50m
7,0m	5,00m

Drawing and dimensions:



Packaging:

75 parts on wooden pallets for type K30



Which material would you like to ventilate?

Semi circular ducts can be used for all cereals, rape and even for potatoes. Special version for wood chips is also available.


(to ventilating grass seeds, please use the same semi circular ducts as for rape)

Option :

- X, T, Y-pieces, corner-pieces, blower connection etc on request
- Semi circular ducts are also available in unperforated version



Example:



Our website:

[Homepage - Schmelzer \(a-schmelzer.com\)](http://a-schmelzer.com)

Tel: +49 (0)9231/9792-0

zentrale@a-schmelzer.de